



PRODUCT-DETAILS

NENV0203  
EX STR MALE FTNG NC12,M16 BLK



General Information	
Extended Product Type	NENV0203
Product ID	7TCA297120R0337
EAN	5011949239838
Catalog Description	EX STR MALE FTNG NC12,M16 BLK
Long Description	Conduit Fitting, Straight with External Male Thread, Conduit Size 12mm, M16 Thread, Minimum Bore 10mm, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP68 Rating, Modified Nylon 12 with Nickel Plated Threads, Black
Additional Information	
Application	For Indoor and Outdoor Applications
Product Type	Straight Conduit Fitting with Male Thread
Ordering	
EAN	5011949239838

<b>Technical</b>	
Number of Batteries	0
Color	Black
Material	Modified Nylon 12 with Nickel Plated Threads
Size	Conduit Size 12mm . M16 Thread

<b>Environmental</b>	
WEEE Category	Product Not in WEEE Scope

<b>Container Information</b>	
Package Level 1 Units	10 EA
Package Level 1 Height	200.66 mm 7.9 in
Package Level 1 Depth / Length	210.82 mm 8.3 in
Package Level 1 Width	302.26 mm 11.9 in

<b>Certificates and Declarations</b>	
Data Sheet, Technical Information	9AKK106930A7762
Instructions and Manuals	NENV0203
Declaration of Conformity - CE	9AKK107680A0674

<b>External Classifications and Standards</b>	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

<b>Categories</b>	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image  
not available